



EUROPEAN
COMMISSION

Brussels, **XXX**
SANTE/10345/2015
[...] (2015) **XXX** draft (Rev 2)

ANNEXES 1 to 2

ANNEXES

to the

Commission Implementing Decision

**as regards measures to prevent the introduction into and the spread within the Union of
Xylella fastidiosa (Wells et al.)**

ANNEX I

LIST OF PLANTS KNOWN TO BE SUSCEPTIBLE TO THE EUROPEAN AND NON-EUROPEAN ISOLATES OF THE SPECIFIED ORGANISM ('specified plants')

Met opmaak: Boven: 2 cm, Onder: 2 cm, Breedte: 21 cm, Hoogte: 29,7 cm, Afstand van koptekst tot rand: 1,25 cm, Afstand van voettekst tot rand: 1,25 cm

Acacia longifolia (Andrews) Willd.

Acacia saligna (Labill.) H. L. Wendl.

Acer

Aesculus

Agrostis gigantea Roth

Albizia julibrissin Durazz.

Alnus rhombifolia Nutt.

Alternanthera tenella Colla

Amaranthus blitoides S. Watson

Ambrosia acanthicarpa Hook.

Ambrosia artemisiifolia L.

Ambrosia trifida L.

Ampelopsis arborea (L.) Koehne

Ampelopsis cordata Michx.

Artemisia douglasiana Hook.

Artemisia vulgaris var. *heterophylla* (H.M. Hall & Clements) Jepson

Avena fatua L.

Baccharis halimifolia L.

Baccharis pilularis DC.

Baccharis salicifolia (Ruiz & Pav.)

Bidens pilosa L.

Brachiaria decumbens (Stapf)

Brachiaria plantaginea (Link) Hitchc.

Brassica

Bromus diandrus Roth

Callicarpa americana L.

Capsella bursa-pastoris (L.) Medik.

Carex

Carya illinoensis (Wangenh.) K. Koch

Cassia tora (L.) Roxb.

Catharanthus

Celastrus orbiculata Thunb.

Celtis occidentalis L.
Cenchrus echinatus L.
Cercis canadensis L.
Cercis occidentalis Torr.
Chamaecrista fasciculata (Michx.) Greene
Chenopodium quinoa Willd.
Chionanthus
Chitalpa tashkinensis T. S. Elias & Wisura
Citrus
Coelorachis cylindrica (Michx.) Nash
Coffea
Commelina benghalensis L.
Conium maculatum L.
Convolvulus arvensis L.
Conyza canadensis (L.) Cronquist
Cornus florida L.
Coronopus didymus (L.) Sm.
Cynodon dactylon (L.) Pers.
Cyperus eragrostis Lam.
Cyperus esculentus L.
Cytisus scoparius (L.) Link
Datura wrightii Regel
Digitaria horizontalis Willd.
Digitaria insularis (L.) Ekman
Digitaria sanguinalis (L.) Scop.
Disphania ambrosioides (L.) Mosyakin & Clemants
Duranta erecta L.
Echinochloa crus-galli (L.) P. Beauv.
Encelia farinosa A. Gray ex Torr.
Eriochloa contracta Hitchc.
Erodium
Escallonia montevidensis Link & Otto
Eucalyptus camaldulensis Dehnh.
Eucalyptus globulus Labill.
Eugenia myrtifolia Sims

Euphorbia hirta L.
Fagus crenata Blume
Ficus carica L.
Fragaria vesca L.
Fraxinus americana L.
Fraxinus dipetala Hook. & Arn.
Fraxinus latifolia Benth.
Fraxinus pennsylvanica Marshall
Fuchsia magellanica Lam.
Genista monspessulana (L.) L. A. S. Johnson
Geranium dissectum L.
Ginkgo biloba L.
Gleditsia triacanthos L.
Hedera helix L.
Helianthus annuus L.
Hemerocallis
Heteromeles arbutifolia (Lindl.) M. Roem.
Hibiscus schizopetalus (Masters) J.D. Hooker
Hibiscus syriacus L.
Hordeum murinum L.
Hydrangea paniculata Siebold
Ilex vomitoria Sol. ex Aiton
Ipomoea purpurea (L.) Roth
Iva annua L.
Jacaranda mimosifolia D. Don
Juglans
Juniperus ashei J. Buchholz
Koelreuteria bipinnata Franch.
Lactuca serriola L.
Lagerstroemia indica L.
Lavandula dentata L.
Ligustrum lucidum L.
Lippia nodiflora (L.) Greene
Liquidambar styraciflua L.
Liriodendron tulipifera L.

Lolium perenne L.
Lonicera japonica (L.) Thunb.
Ludwigia grandiflora (Michx.) Greuter & Burdet
Lupinus aridorum McFarlin ex Beckner
Lupinus villosus Willd.
Magnolia grandiflora L.
Malva
Marrubium vulgare L.
Medicago polymorpha L.
Medicago sativa L.
Melilotus
Melissa officinalis L.
Metrosideros
Modiola caroliniana (L.) G. Don
Montia linearis (Hook.) Greene
Morus
Myrtus communis L.
Nandina domestica Murray
Neptunia lutea (Leavenw.) Benth.
Nerium oleander L.
Nicotiana glauca Graham
Olea europaea L.
Origanum majorana L.
Paspalum dilatatum Poir.
Persea americana Mill.
Phoenix reclinata Jacq.
Phoenix roebelenii O'Brien
Pinus taeda L.
Pistacia vera L.
Plantago lanceolata L.
Platanus
Pluchea odorata (L.) Cass.
Poa annua L.
Polygala myrtifolia L.
Polygonum arenastrum Boreau

Polygonum lapathifolium (L.) Delarbre
Polygonum persicaria Gray
Populus fremontii S. Watson
Portulaca
Prunus
Pyrus pyrifolia (Burm. f.) Nakai
Quercus
Ranunculus repens L.
Ratibida columnifera (Nutt.) Wooton & Standl.
Rhamnus alaternus L.
Rhus diversiloba Torr. & A. Gray
Rosa californica Cham. & Schldl.
Rosmarinus officinalis L.
Rubus
Rumex crispus L.
Salix
Salsola tragus L.
Salvia mellifera Greene
Sambucus
Sapindus saponaria L.
Schinus molle L.
Senecio vulgaris L.
Setaria magna Griseb.
Silybum marianum (L.) Gaertn.
Simmondsia chinensis (Link) C. K. Schneid.
Sisymbrium irio L.
Solanum americanum Mill.
Solanum elaeagnifolium Cav.
Solidago virgaurea L.
Sonchus
Sorghum
Spartium junceum L.
Spermacoce latifolia Aubl.
Stellaria media (L.) Vill.
Tillandsia usneoides (L.) L.

Toxicodendron diversilobum (Torr. & A. Gray) Greene

Trifolium repens L.

Ulmus americana L.

Ulmus crassifolia Nutt.

Umbellularia californica (Hook. & Arn.) Nutt.

Urtica dioica L.

Urtica urens L.

Vaccinium

Verbena litoralis Kunth

Veronica

Vicia faba L.

Vinca

Vitis

Westringia fruticosa (Willd.) Druce

Xanthium spinosum L.

Xanthium strumarium L.

ANNEX II

LIST OF PLANTS KNOWN TO BE SUSCEPTIBLE TO THE EUROPEAN ISOLATES OF THE SPECIFIED ORGANISM ('host plants')

Acacia saligna (Labill.) Wendl.

Catharanthus

Myrtus communis L.

Nerium oleander L.

Olea europaea L.

Polygala myrtifolia L.

Prunus avium (L.) L.

Prunus dulcis (Mill.) D.A. Webb

Rhamnus alaternus L.

Rosmarinus officinalis L.

Spartium junceum L.

Vinca

Westringia fruticosa (Willd.) Druce