



EUROPEAN COMMISSION
DIRECTORATE-GENERAL FOR HEALTH AND FOOD SAFETY

Brussels, 11.01.2017

COMMISSION DATABASE OF HOST PLANTS FOUND TO BE SUSCEPTIBLE TO XYLELLA FASTIDIOSA IN THE UNION TERRITORY – UPDATE 8

List of host plants referred to in Article 1(b) of Commission Implementing Decision (EU) 2015/2417 of 17 December 2015, which have been found to be susceptible to *Xylella fastidiosa* in the Union territory, or, where a Member State has demarcated an area with regard to only one or more subspecies of *Xylella fastidiosa* pursuant to the second subparagraph of Article 4(1) of that Decision, as having been found to be susceptible to that or those subspecies.

Host plant found to be susceptible to *Xylella fastidiosa* subsp. *fastidiosa*

Nerium oleander L.

***Polygala myrtifolia* L.**

Prunus avium L.

Rosmarinus officinalis L.

Streptocarpus

Erysimum

Host plants found to be susceptible to *Xylella fastidiosa* subsp. *multiplex*

Acacia dealbata Link

Acer pseudoplatanus L.

***Anthyllis hermanniae* L.**

Artemisia arborescens L.

Asparagus acutifolius L.

Calicotome villosa (Poiret) Link

***Cistus creticus* L.**

Cistus monspeliensis L.

Cistus salviifolius L.

Coronilla valentina L.

Cytisus scoparius (L.) Link
Genista x spachiana (syn. *Cytisus racemosus* Broom)
Genista corsica (Loisel.) DC.
Genista ephedroides DC.
Hebe
Helichrysum italicum (Roth) G. Don
Lavandula angustifolia Mill.
Lavandula dentata L.
Lavandula stoechas L.
Lavandula x allardii (syn. *Lavandula x heterophylla*)
Metrosideros excelsa Sol. ex Gaertn.
Myrtus communis L.
Pelargonium graveolens L'Hér
Phagnalon saxatile (L.) Cass.
Polygala myrtifolia L.
Prunus cerasifera Ehrh.
Prunus dulcis (Mill.) D.A Webb
Quercus suber L.
Rosa x floribunda
Rosmarinus officinalis L.
Spartium junceum L.

Host plants found to be susceptible to *Xylella fastidiosa* subsp. *pauca*

Acacia saligna (Labill.) Wendl.
Asparagus acutifolius L.
Catharanthus
Chenopodium album L.
Cistus creticus L.
Dodonaea viscosa Jacq.
Eremophila maculata F. Muell.
Erigeron sumatrensis Retz.
Erigeron bonariensis L.
Euphorbia terracina L.

Grevillea juniperina L.

Heliotropium europaeum L.

Laurus nobilis L.

Lavandula angustifolia Mill.

Lavandula stoechas L.

Myrtus communis L.

Myoporum insulare R. Br.

Nerium oleander L.

Olea europaea L.

Pelargonium x fragrans

Phillyrea latifolia L.

Polygala myrtifolia L.

Prunus avium (L.) L.

Prunus dulcis (Mill.) D.A. Webb

Rhamnus alaternus L.

Rosmarinus officinalis L.

Spartium junceum L.

Vinca

Westringia fruticosa (Willd.) Druce

Westringia glabra L.

Host plants found to be susceptible to several subspecies of *Xylella fastidiosa*

Coffea